

Prepared for:
CANNA-VENTURES OF WV

200 HELIPOINT LOOP RD
BRIDGEPORT, WV USA 26330

Alleviate CBD Roll On

Batch ID or Lot Number: CBDRO090922	Test: Potency	Reported: 15Sep2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000221038	Started: 14Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 12Sep2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.060	0.070	0.70	
Cannabichromenic Acid (CBCA)	0.016	0.055	0.020	0.20	
Cannabidiol (CBD)	0.053	0.160	1.730	17.30	
Cannabidiolic Acid (CBDA)	0.055	0.164	0.550	5.50	
Cannabidivarin (CBDV)	0.013	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.023	0.068	ND	ND	
Cannabigerol (CBG)	0.010	0.034	0.120	1.20	
Cannabigerolic Acid (CBGA)	0.042	0.143	ND	ND	
Cannabinol (CBN)	0.013	0.045	ND	ND	
Cannabinolic Acid (CBNA)	0.029	0.097	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.050	0.170	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.045	0.154	0.090	0.90	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.040	0.137	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.036	0.121	ND	ND	
Total Cannabinoids			2.580	25.80	
Total Potential THC			0.090	0.90	
Total Potential CBD			2.212	22.12	

Final Approval



Daniel Weidensaul
15Sep2022
03:09:00 PM MDT

PREPARED BY / DATE



Sam Smith
15Sep2022
03:12:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/da582ca0-f0ee-4bcd-be19-43b0a6b41747>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
da582ca0f0ee4bcdbe1943b0a6b41747.1