



www.ridhodjayabersama.com

PRODUCT CATALOGUE

CV RIDHO DJAYA BERSAMA
COMMERCIAL KITCHEN EQUIPMENT



0812 2493 6449, 0812 2100 3851



Nothing less than the best.®



TM-10H

Conveyor Toaster
360 slices/hour
Dim. 368 x 416 x 387 mm
Volt. 230/1/50, E. Pow. 1.90 kW




TM-5H

Conveyor Toaster
180 slices/hour
Dim. 290 x 416 x 387 mm
Volt. 230/1/50, E. Pow. 1.30 kW



TPT-230-4

Pop-Up Toaster
4 slots capacity
Dim. 346 x 313 x 204 mm
Volt. 230/1/50, E. Pow. 2.50



HGSM-4060

Countertop Heated Shelf
Dim. 400 x 600 x 58 mm
Volt. 230/1/50, E. Pow. 327 Watts



GMFFL

Portable Food Warmer
Cap. GN1/1 Pan
Dim. 329 x 644 x 445 mm
Volt. 230/1/50, E. Pow. 610 Watts



DL-Series

Decorative Heated Lamp
Available in different lamp design
Available in colour options

FOOD PROCESSORS

Cutters & Vegetable Slicers – 2 machines in 1

Cutter functions:



Smooth Blade



Coarse chopping



Fine Chopping



Sauce and emulsions



R 211 XL Ultra

S/S Bowl Cap. 2.9 L
Dim. 220 x 360 x 505 mm
Volt. 230/1/50, E. Pow. 550 Watts
One speed 1500 rpm



R 301 Ultra

S/S Bowl Cap. 3.7 L
Dim. 355 x 305 x 570 mm
Volt. 230/1/50, E. Pow. 650 Watts
One speed 1500 rpm

Recommended set of vegetable preparation discs for R 211, R 301:

Ref.1904 Asia Pack of 4 Discs



Slicer 2 mm & 4 mm



Grater 2 mm



Julienne 2 x 2 mm



R 402

S/S Bowl Cap. 4.5 L
Dim. 320 x 304 x 590 mm
Volt. 230/1/50, E. Pow. 750 Watts
Two speed 500 / 1500 rpm

Recommended set of vegetable preparation discs for R 402:

Ref. 2195 Asia Pack of 6 Discs.
Same as Asia Pack of 4 Discs, with the addition of Dicing Set



Dicing Equipment 10 x 10 x 10 mm

VEGETABLE PREPARATION MACHINES

Vegetable Preparation Functions:



CL 50

Dim. 380 x 305 x 595 mm
Volt. 230/1/50, E. Pow. 550 Watts
One speed 375 rpm
Motor base polycarbonate

Recommended set of vegetable preparation discs for CL 50:

Ref.2023 Asia Pack of 7 Discs

Slicer 2 mm & 5 mm
Grater 2 mm
Julienne 2 x 2 mm & 3 x 3 mm
Dicing equipment 10 x 10 x 10 mm
Wall Disc Holder
D-Clean Kit (cleaning tool for dicing grids)



CL 55 Workstation

Dim. 865 x 396 x 1272 mm (with stand)
Volt. 380/3/50, E. Pow. 1100 Watt
Two speed 375 / 750 rpm

Delivered with:

- Automatic feed head
- Pusher feed head (capacity 4.0 L, tube included)
- MultiCut pack of 16 discs
- Potato ricer equipment 3 mm
- Adjustable Trolley GN1/1 – 3 heights (equipped with wheels and brake)
- 2 containers GN 1/1
- Exactitube pusher

VEGETABLE PREPARATION MACHINES



CL 60 Workstation (Ref.2300)

Dim. 462 x 770 x 1353 mm
Volt. 380/3/50, E. Pow. 1500 Watts
Two speeds 375 & 750 rpm

Equipped with:

- 1 stainless steel stand with adjustable feet
- 2 wheels
- Stainless steel tray for tools



Delivered with:

- Automatic feed head
- 4 tubes feed head
- Ergo mobile trolley
- Three full-size gastronorm pans
- Potato ricer equipment 3 mm
- MultiCut pack of 16 discs
- Storage trolley
- Exactitube pusher

BLIXER – Blender Mixer

Perfect for all spices preparations in addition to all other mixing / chopping applications



sesame, chili powder, curry, ginger, saffron, hot pepper, masala, paprika, garam masala, five spice powder, lemon grass, dry shrimps, cinnamon stick, blue ginger, etc...



Blixer 3

S/S Bowl Cap. 3.7 L
Dim. 242 x 304 x 444 mm
Volt. 230/1/50, E. Pow. 750 Watts
One speed 3000 rpm



Blixer 4

S/S Bowl Cap. 4.5 L
Dim. 242 x 325 x 444 mm
Volt. 230/1/50, E. Pow. 900 Watts
One speed 3000 rpm



Blixer 5 V.V.

S/S Bowl Cap. 5.5 L
Dim. 280 x 350 x 500 mm
Volt. 230/1/50, E. Pow. 1400 W
Variable speed 300 – 3500 rpm

robot coupe®

The Worlds Best Food Processors

ROBOT COOK

Emulsifying, grinding, mixing, chopping, blending and kneading are among the many functions carried out to perfection by the Robot Cook®. In addition, there is modifiable heating capacity up to 140°C, accurate to the nearest degree. The large capacity bowl means you can produce sufficient quantities for professional needs.

Functions:



Emulsify:
Béarnaise,
Mayonnaise,
Hollandaise,
Sauce blanc



Grind:
Pecan, Almonds,
Pistachio, food
powder



Mix:
Velouté soups,
vegetable purées,
Compotes, cold
preparations



Chop:
Herbs, tomatoes,
condiments, tartares



Blend:
Béchamel,
custard, meringue,
Crème pâtissière



Knead:
choux pastry, yeast
dough, short crust
pastry, sweet pastry



Robot Cook Ref.43000R

Dim. 226 x 338 x 522 mm
Power 1800 Watts
Voltage 230/1/50

Heating capacity up to +140°C
5/5 Bowl Cutter 3.7 Liter
Liquid Capacity 2.3 Liter

3 speed functions:

- Variable speed 100 – 3500 rpm
- High speed Turbo/Pulse of 4300 rpm
- R-Mix blend speed -100 to -300 rpm
- Pulse (variable speed)
- Intermittent speed (slow speed blade rotation every 2 seconds)

Delivered with:

- Fine serrated blade
- Smooth blade
- Scraper arm
- Programming function 9 recipes

JUICE EXTRACTOR

Specially designed for intensive use. Induction motor. Continuous pulp ejection. Feed hopper diameter 79 mm. Removable stainless steel basket for easy cleaning. Stainless steel bowl and motor base. No-splash juice spout.



J 80 Ultra (Ref. 56000A)

Output up to 120 L/hr
Dim. 235 x 335 x 502 mm
Power 700 Watts
Volt. 230/1/50
One speed 3000 rpm

Delivered with 6.5 liter see-through pulp container slots neatly under the ejector spout & drip tray



J 100 Ultra (Ref.56100A)

Output up to 160 L/hr
Dim. 235 x 338 x 596 mm
Power 1000 Watts
Volt. 230/1/50
One speed 3000 rpm

Delivered with: ejection chute for a continuous flow of pump straight into a bin for continuous juicing, large-capacity 7.2 liter table top see through pump container, drip tray

STICK BLENDER / HAND MIXER



Micromix



Mini MP 160 V.V.



Mini MP 190 V.V.



CMP 250 V.V.



MP 350 V.V. Ultra



MP 450 V.V. Ultra



MP 550 Ultra



MP 600 Ultra

Micromix	165	L.430 x Dia.61	220	1500 – 14000	230/1/50	Special for emulsions
Mini MP 160 V.V.	160	L.455 x Dia.78	240	2000 – 12500	230/1/50	5 L
Mini MP 190 V.V.	190	L.485 x Dia.78	270	2000 – 12500	230/1/50	9 L
CMP 250 V.V.	250	L.610 x Dia.94	310	2300 – 9600	230/1/50	15 L
MP 350 V.V. Ultra	350	L.725 x Dia.125	440	1500 – 9000	230/1/50	50 L
MP 450 V.V. Ultra	450	L. 825 x Dia.125	500	1500 – 9000	230/1/50	100 L
MP 550 Ultra	550	L.925 x Dia.125	750	9000	230/1/50	200 L
MP 600 Ultra	740	L.1130 x Dia.125	1000	9500	230/1/50	300 L

Cold Drink Dispenser - CLASSIC Series



D155-4



D255-4



E295-4



E495-4

Model	Product Series	Bowl Capacity	Dimension (mm)	E. Pow. (kW)	Voltage
D155-4	Classic	1 x 19 L	260 x 410 x 690	0.46	230/1/50
D255-4	Classic	2 x 19 L	440 x 410 x 690	0.62	230/1/50
E295-4	Classic	2 x 9 L	290 x 410 x 690	0.39	230/1/50
E495-4	Classic	4 x 9 L	520 x 410 x 690	0.62	230/1/50
CS-1D	Simplicity	1 x 19 L	270 x 440 x 650	0.35	230/1/50
CS-2D	Simplicity	2 x 19 L	520 x 450 x 650	0.92	230/1/50
CS-2E	Simplicity	2 x 9 L	270 x 440 x 650	0.35	230/1/50
CS-4E	Simplicity	4 x 9 L	520 x 450 x 650	0.92	230/1/50

Commercial Refrigerators



Upright 2 Half Door



Upright 4 Half Door



Undercounter 2 Door



Undercounter 3 Door

Description	Model	Capacity [L]	Dimension (mm)	Voltage	Power (HP)	Temp. [°C]
Upright Chiller 2 Half Door	SRK3-0887A-SRN	810	850 x 750 x 2000	230/1/50	0.23	0 / +10
Upright Chiller 4 Half Door	SRK3-1327A-SRN	1310	1320 x 750 x 2000	230/1/50	0.50	0 / +10
Upright Freezer 2 Half Door	SRF3-0887A-SRN	810	850 x 750 x 2000	230/1/50	0.30	-15 / -22
Upright Freezer 4 Half Door	SRF3-1327A-SRN	1310	1320 x 750 x 2000	230/1/50	0.75	-15 / -22
Undercounter Chiller 2 Door	SCR3-1207-AR	300	1200 x 750 x 850	230/1/50	0.23	0 / +10
Undercounter Chiller 3 Door	SCR3-1507-AR	425	1500 x 750 x 850	230/1/50	0.23	0 / +10
Undercounter Chiller 5 Door	SCR3-1807-AR	540	1800 x 750 x 850	230/1/50	0.33	0 / +10

Cake Showcase



SKK-0907Z / 1207Z / 1507Z
Curved Glass Cake Showcase 3 Shelves

Width 900 / 1200 / 1500 mm
Depth 730 mm
Height 1325 mm



SKK-0917Z / 1217Z / 1517Z
Curved Glass Cake Showcase 3 Shelves
with SUS Black Cabinet

Width 900 / 1200 / 1500 mm
Depth 730 mm
Height 1325 mm



SKS-0907Z / 1207Z / 1507Z
Straight Glass Cake Showcase 3 Shelves

Width 900 / 1200 / 1500 mm
Depth 730 mm
Height 1320 mm



SKS-0917Z / 1217Z / 1517Z
Straight Glass Cake Showcase 3
Shelves with SUS Black Cabinet

Width 900 / 1200 / 1500 mm
Depth 730 mm
Height 1320 mm

DICE ICE MAKER



Model	Production Capacity (kg / 24 hr) *	Storage Bin Capacity (kg)	Dimension W x D x H (mm)	Electricity V/Ph/Hz / kW
Self-Contained Dice Ice Maker				
NU 150 AS	60	20	600 x 610 x 744 / 770	230/1/50 / 0.50
NU 300 AS	120	37	650 x 690 x 869 / 1003	230/1/50 / 0.95
Modular Dice Ice Maker				
NW 308 AS	150	-	560 x 610 x 610	230/1/50 / 0.95
NW 508 AS	200	-	560 x 610 x 610	230/1/50 / 1.25
NW 458 AS	200	-	760 x 620 x 575	230/1/50 / 1.00
NW 608 AS	270	-	760 x 620 x 575	230/1/50 / 1.60
NW 1008 AS	400	-	765 x 620 x 800	380/3/50 / 2.50
NW 1408 AS	600	-	765 x 620 x 1000	230/1/50 / 3.37
C 1448 MA	600	-	1219 x 610 x 737	230/1/50 / 2.43
C 1848 MA	800	-	1219 x 610 x 737	230/1/50 / 2.50
C 2148 MR	900	-	1219 x 610 x 737	230/1/50 / 3.45

Stainless steel work tables custom

Stainless Steel Working Table



Cold Storage



PRIMAX



PRIMAX Planetary Mixer 10 Liter

Type PCH 10208

Bowl Volume : 10 Liters
Capacity : 3 Kg
Voltage : 220 ~ 240 V/50 Hz
Power : 370w
Mixing Speed : 165 RPM
Bbowl Speed : 15 RPM
Dimension (mm) :
350x450x650
N.W : 68Kg
With Gear



PRIMAX Hot Showcase

Type PCH 10412

Power: 1100 w
Capacity: 120 Liters
Temperature: 30°C-90°C
N.W/G.W: 35/50 Kg
Overall Dimensions (mm):
678x568x670
Package Dimension (mm) :
749x627x731



PRIMAX Planetary Mixer 20 Liter

Type PCH 10210

Bowl Volume : 20 Liters
Capacity : 6 Kg
Voltage : 220 ~ 240 V/50 Hz
Power : 750w
Mixing Speed : 250 RPM
Bbowl Speed : 25 RPM
Dimension (mm) :
420x500x760
N.W : 77Kg
With Gear



PRIMAX Hot Showcase

Type PCH 10413

Power: 1500 w
Capacity: 160 Liters
Temperature: 30°C- 90°C
N.W/G.W: 56/58 Kg
Overall Dimensions (mm):
856x568x670
Package Dimension (mm) :
928x627x731

PRIMAX

PRIMAX Spiral Mixer Double Speed

Type PCH 10104



Bowl Volume : 40 Liters
Voltage : 220V/50 Hz
Motor Power: 2200 w
N.W : 117 Kg
Mixing Speed: 1125/250 (r/min)
Bowl Speed : 12/25 (r/min)
Capacity: 15 Kg
Time Of Mixing: 10-12 min
Item Size (mm): 770x440x 850

PRIMAX Spiral Mixer

Type PCH 10105



Bowl Volume : 20 Liters
Voltage : 220 ~ 240V/50Hz
Motor Power: 1500 w
N.W : 93 Kg
Mixing Speed: 165 RPM
Bowl Speed: 15 RPM
Capacity: 8 Kg
Time Of Mixing: 10-12 min
Item Size (mm) :700x390x770

PRIMAX Spiral Mixer Single Speed

Type PCH 10101



Bowl Volume : 10 Liters
Voltage : 220 ~ 240V/50Hz
Motor Power: 550 w
N.W : 68 Kg
Mixing Speed: 165 RPM
Bowl Speed : 15 RPM
Capacity: 5 Kg
Time Of Mixing: 10-12 min
Item Size (mm) : 680x360x750

PRIMAX Spiral Mixer

Type PCH 10106



Bowl Volume: 30Liters
Voltage: 220/50Hz
Motor Power: 2200 w
N.W: 117 Kg
Mixing Speed: 1125/250 (r/min)
Bowl Speed : 12/25 (r/min)
Capacity: 12 Kg
Time Of Mixing: 10-12 min
Item Size (mm) : 770x440x850

PRIMAX



PRIMAX Food ShowCase

Type PCH 10404

Voltage : 220V/50Hz

Power : 1200w

Item Size (mm) : 660x550x620

N.W/G.W : 28 /38 Kg

Temperature : 50 – 85 °C

Packing Size (mm) :

760x650x720



PRIMAX Food ShowCase

Type PCH 10411

Dimension : 554x376.5x432

Power : 500w

Voltage : AC230V

Berat Bersih : 19 Kg

Packing Size : 625x475x520

Temperature : 30 – 85 °C



PRIMAX Food ShowCase

Type PCH 10418

Capacity : 120 Liters

Temperature range : 0 – 12 °C

Voltage : 220 – 240V/50Hz

Power : 230 w

Refrigerant : R13a

Type of Climate : 4 (16-30 C)

Dimensions (mm) :

702x568x686

N.W/G.W : 57/60Kg



PRIMAX Sushi ShowCase

Type PCH 10424

Capacity : 4x1/3GN Plate

Temperature Range : 0 °C - 12 °C

Voltage : 220 ~ 240 V/50Hz

Power : 160w

Refrigerant : R134a

Type of Climate : 4(16~30 C)

Dimension (mm) :

1131x450x330

N.W/G.W : 33/36 Kg



PRIMAX Oven Gas 2 Deck 4 Tray

Type PCH 10302

Yield : 2 Deck

(Pans) : 4 Trays

Voltage : 220 ~ 240 V/50Hz

Power : 120 w

Tray Size (mm) : 600x400x30

Dimension (mm) :

1290x855x1380

G.W/N.W : 275/250Kg



PRIMAX Planetary Mixer 5 Liter

Type PCH 10205

Capacity : 5 Liters

Dough Mixing : 0.5 Kg

Voltage : 220 V/50Hz

Power : 300 w

Dimension (mm) :

364x240x410

N.W : 25 Kg

Stainless steel work tables

Stainless Steel Working Table



Stainless Steel Compartment Commercial Sink



Cold Storage



Perusahaan kami yang sudah berpengalaman lebih dari 11 tahun di bidang pendingin komersil, manufaktur panel insulasi, serta parts dan mesin pendingin. Produk Cold Storage kami memiliki kualitas terjamin. Kami di dukung oleh tim manajemen dan tenaga professional yang sudah berpengalaman di bidangnya.

Beberapa hal yang perlu diperhatikan untuk produk Cold Storage, yaitu :

- Desain Interior dan Exterior
- Ketebalan dan jenis insulasi dari konstruksi
- Pembukaan dan penutupan pintu secara cepat
- Desain lantai dari cold storage
- Tipe panel isolasi

Powerful, Heavy Duty Cooking Range



Commercial Kitchen Equipment Powerful, Heavy Duty Cooking Range

Menawarkan lebih banyak fitur dan lebih banyak lagi variasi.

Ini berarti lebih banyak pilihan desain dan model.

Produk yang lebih berkualitas dan desain yang elegan
Menjadikan ruang dapur lebih cantik dan rapih disertai penggunaan
ruang yang efisien, dengan kemudahan pengopresian peralatan masak

Demo Kitchen & Showroom



1. Gas Range 6 Burner With Oven

Brand : Brandon

Type : BR 90-6

BRANDON 6 BURNER GAS COOKER AND OVEN

- Modular design
- Oven thermostatically controlled from 100°C – 340°C
- Piezo ignition for concealed burners, easily accesible oven pilot
- Individual pilot and thermocouple for each burner
- Flame failure safety device

Dimensions (w x d x h)

900 x 803 x 1125 mm

Top burner output

22.800 BTu/hr

Top burners

6

Oven burner

28.400 BTu/hr

Weight

204 kg

Crated weight

242 kg



2. Gas Range 4 Burner With Oven

Brand : Brandon

Type : A4B-700

BRANDON 4 BURNER GAS COOKER AND OVEN

- Modular design
- Oven thermostatically controlled from 100°C – 340°C
- Piezo ignition for concealed burners, easily accesible oven pilot
- Individual pilot and thermocouple for each burner
- Flame failure safety device

Dimensions (w x d x h)

700 x 700 x 1125 mm

Top burner output

92.151 BTu/hr

Top burners

4

Oven burner

28.400 BTu/hr

Weight

110 kg

Crated weight

142 kg



1. Gas Range 2 Burner Portable



3. Gas Range 6 Burner Portable



2. Gas Range 4 Burner Portable



4. Stok Pot Stove



No	Produk	Brand	Type	Dimensi (W x D x H)	Power
1	Gas Range 2 Burner Portable	Brandon	BT 12-2	315 x 800 x 420 mm	32.000 BTU / Hour
2	Gas Range 4 Burner Portable	Brandon	BT 24-4	615 x 800 x 420 mm	32.000 BTU / Hour
3	Gas Range 6 Burner Portable	Brandon	BT 36-6	915 x 800 x 420 mm	26.300 BTU / Hour
4	Gas StokPot Stove	RDB	Custom	500 x 500 x 500 mm	120.000 BTU / Hour

1. Gas And Electric Deep Fryer Free Standing / Portable with Termostat



No	Produk	Brand	Type	Dimensi (W x D x H)	Power
1	Gas Deep Fryer 1 Tank 2 Basket Free Standing 17-23 L	Brandon	GF 3	393 x 800 x 1180 mm	90.000 BTU / Hour
2	Gas Deep Fryer 2 Tank 2 Basket Free Standing 17-30	Brandon	GF 4	400 x 800 x 1180 mm	120.000 BTU / Hour
3	Electrik Deep Fryer 1 Tank 2 Basket 18-30 Liter	Brandon	FRYH 18	400 x 800 x 1100 mm	18 KW

Counter Top Electrical Fryer

Model	No. of tank	Oil capacity (liter)	pan size	Drain valve	Electrical	Dimension (mm)
BEF8-1	single	8	GN 1/2	No	240V, 50 Hz, 3 kW	266 x 415 x 397
BEF4-18-2	single	4	GN 1/3	No	230V, 50 Hz, 2.5 kW	174 x 410 x 290
BEF8-18-2	single	8	GN 1/2	No	230V, 50 Hz, 3.2 kW	260 x 410 x 360
BEF8-18-2Q	single	8	GN 1/2	Yes	230V, 50 Hz, 3.2 kW	260 x 488 x 360

For twin tanks, just add suffix "T" to the model of single tank.

For example, BEF8-18-2QT refers to a twin tank fryer with 8 liter oil capacity per tank, with drain valve.

Accessories: fryer basket.

Please specify types of cable and plug when ordering electrical equipment.



BEF4-18-2



BEF8-1



BEF8-18-2Q



BEF8-18-2T



BEF8-18-2QT

GAS GRIDDLE



No	Produk	Brand	Type	Dimensi (W x D x H)	Power
1	Gas Griddle 2 Burner Portable	Brandon	BGG 600	600 x 610 x 350 mm	13.650 BTU / Hour
2	Gas Griddle 3 Burner Portable	Brandon	BGG 900	915 x 800 x 420 mm	20.500 BTU / Hour
3	Gas Griddle 3 Burner with Stand	Brandon	BT 90	915 x 800 x 420 mm	20.500 BTU / Hour

GAS CHARROCK BROILER / GRILL



No	Produk	Brand	Type	Dimensi (W x D x H)	Power
1	Gas Charrock Broiler / Grill 2 Burner Portable	Brandon	BB 24	610 x 795 x 420 mm	23.000 BTU / Hour
2	Gas Charrock Broiler / Grill 3 Burner Portable	Brandon	BB 36	915 x 800 x 420 mm	29.000 BTU / Hour
3	Gas Charrock Broiler / Grill 3 Burner with Stand	Brandon	BT 36	915 x 800 x 420 mm	29.000 BTU / Hour

GAS KWALI RANGE WITH BLOWER

1. Gas Kwali Range 1 Wok With 1 Soup Pot With Blower Low Presure



2. Gas Kwali Range 2 Wok With 1 Soup Pot With Blower Low Presure



No	Produk	Brand	Type	Dimensi (W x D x H)	Power
1	Gas Kwali Range 1 Wok 1 Soup Pot With Blower	Gainmax	GM CR11MLP	1050 x 950 x 1150 mm	60.000 BTU / Hour / 250 Watt
2	Gas Kwali Range 2 Wok 1 Soup Pot With Blower	Gainmax	GM CR21MLP	1900 x 950 x 1150 mm	120.000 BTU / Hour / 370 Watt

COMBI OVEN RATIONAL

The new SelfCookingCenter® XS.
It is simple, saves a lot and requires minimal space.



DRY AGER / DRY AGING FRIDGE





Klien Kami



Kontak Kami



JL. Prof. Dr. Sutami No. 89 Bandung
Phone/Fax : 022 - 2028 1004
Fax : 022 - 2028 1004
Hp : 0812 2493 6449, 0812 2100 3851
Email : admin@ridhojaya.com
www.ridhodjayabersama.com