

LAX Mercury

LOP DOCUMENT TITLE:	Emergency Response Plan – LAX Mercury B213			
NUMBER / VERSION	V 1.0			
REVISION DATE	11/04/2022 EFFECTIVE DATE 11/15/2024			
WFS POLICY REFERENCE	IQSMS 8.2.1			
PROCESS OWNER	Name	Position/Department		
	Victoria Cabrejo	General Manager		
PURPOSE:	Required Local Emergency Response Plan (ERP) to identify response requirements in the event of an emergency.			
SCOPE:	Applicable to Mercury B213			



### Table of Contents:

Emer	gency Response Procedures Introduction	3
	Station Management Notification	
	Major Aircraft accident, incident or another disastrous occurrence	
ERP:	Aircraft Damage / Incident	4
ERP:	Dangerous Goods / Hazardous Material Spills	5
ERP:	Employees Notification	6
	External Notification	
	Corporate Notification	
	Emergency Evacuation	
ERP:	Severe Weather	2
	Tornadoes1	
	Fire / Explosion1	
	Bomb Threat1	
ERP:	Hazardous Chemical / Dangerous Goods Release - Spill Prevention Control and Countermeasures Plan	6
ERP:	Medical Emergencies1	8



### **Emergency Response Procedures**

### Purpose

The purpose of the WFS Emergency Response Plan (ERP) is to provide safe and standardized procedures in response to emergency situations, which may be encountered at the WFS 6040 Avion Dr. Los Angeles CA 90045. This ERP is to be used by WFS personnel when an emergency arises at the WFS 6040 Avion Dr. Los Angeles CA 90045.

### Policy

Emergency response activities will follow the guidelines established within this plan. This plan is to serve as a guideline for response measures to minimize hazards to human health and the environment from the following:

- Fires
- Explosions
- Chemical releases
- Medical emergencies
- Personal / property threats
- Natural disasters
- Stormwater Prevention Plan

Such occurrences may require responses to be carried out immediately in a manner described in this ERP: Procedures for response to emergencies are provided for the following:

- Proper notification of personnel involved directly or indirectly.
- Evacuation and medical treatment of those directly involved.
- Containment and removal of hazardous substances.
- Monitoring to ensure and confirm a return to normal conditions.

### Scope

This plan fulfills the requirements of:

- 29 CFR 1910.120 Hazardous Waste Operations and Emergency Response (Hazwoper)
- 29 CFR 1910.38 Employee's emergency plans and fire prevention plans.
- Emergency response portions of:
- 40 CFR 265 Subparts D "Resource Conservation and Recovery Act (RCRA)
   10 CFP 112
- 40 CFR 112 Spill Prevention Control and Countermeasures (SPCC)
- 40 CFR 112
- Oil Pollution Act 1990 (OPA).

### NAM Form Rev. 06222022



### **ERP: Station Management Notification**

In the event of an emergency or a situation that could evolve into an emergency, management must be informed immediately. The following individuals shall be notified for events concerning the station:

Name	Title	Office Phone	Cell Phone
Victoria Cabrejo	Terminal Manager	310-258-6100 ext.	310 678 6325
		1134	
Avelino Capil	Assistant Terminal Manager	310-258-6100 ext.	310 930 0025
		1157	
Shanastaisha Siaki	Assistant Terminal Manager	310-258-6100 ext.	310 864 2204
	_	1110	
Miguel Cabrera	OPS Manager		310 975 9579
Edgar Aldrete	OPS Manager		310 704 8330

### ERP: Major Aircraft accident, incident, Security incident or another disastrous occurrence

Any major accidents, incidents or other disastrous occurrences will be managed in accordance with:

- 1. The Airport ERP (If applicable)
- 2. The requirements of each Customer Airline

Any medically related case must be reported to the Risk Management Department within (3) hours and entered Pulse system within twelve (12) hours

• Any occupational fatality must be reported to Risk Management and/or the Director of Safety and Environmental immediately.

### **ERP:** Aircraft Damage / Incident

- Immediately contact station management.
- Immediately contact carrier for direction.
- Immediately contact Risk Management Department.



LAX 213 / AVION

### **ERP: Dangerous Goods / Hazardous Material Spills**

This procedure applies to situations that require implementing the Emergency Response Plan for release of dangerous goods (hazardous materials) or immediate notification of management team of a significant emergency event.

The Director of Safety & Environmental must be notified after contacting airport emergency services and approved emergency response vendor.

### See ERP: External Notification contacts.

Approved WFS Emergency Response vendor:

### Clean Harbors 800-645-8235 (800.OIL.TANK)

- This phone number must be posted and entered into management's mobile phone contact list.
- Clean Harbors will provide contact posters/stickers upon request.

### Handling Releases of Pressure Containers (Gasses and Vapors)

When handling releases of pressurized containers such as Propane, Oxygen and Acetylene use the following guidelines:

- Identify the product using SDS (Safety Data Sheet)
- Exit the area/scene from uphill and upwind
- Notify appropriate emergency response personnel
- Isolate and deny entry until help arrives
- Isolate any possible ignition sources such as engines, static charge of electrical sources.
- Only if safe to do so, contain the release by shutting off valve or moving the container outdoors where vapors can be readily dispersed

Remember:

- Never attempt to handle any scenes alone and/or unless qualified to do so.
- Use SDS to become aware of incompatibles.
- If the spill or leak is on the ramp, consider rain a possible incompatible and danger to the immediate area.
- Contact appropriate authorities in an emergency.



LAX 213 / AVION

### **ERP: Employees Notification**

Employees may be notified of emergencies by the installed alarm system, or by supervisors. After initial notification, employees will be provided direction by on scene supervisors.

### **ERP: External Notification**

**Contact local Emergency Response or Airport Authority Emergency or call 911**, this will provide initial notification to Law Enforcement, Fire Department.

Name	Company / Title	Daytime Phone	24-hour Phone	
Clean Harbors	National Contract	800-645-8265	800-645-8235	
			(800.OIL.TANK)	
Airport	LAWA Police	424-646-6200	424-646-7911	
ARCC	LAWA	<mark>424 424-7911</mark>		

### EMERGENCY ENVIRONMENTAL NOTIFICATION

In case of a reportable release to land, a reportable release of a hazardous substance, or sheen of

oil spilled on water, the following government agencies may be notified according to procedures as outlined.

Note: Report hazardous material / Dangerous Goods spills to the AVP Safety Security & Environmental before the agencies listed below.

- If the AVP is not available then notify Risk Management.

- If Risk Management is not available then report directly to the applicable agencies.

Greg Brzozowski (Greg.Brzozowski@wfs.aero)

Andrew Hatfield (Andrew.Hatfield@wfs.aero)

Mark Berner (<u>Mark.Berner@wfs.aero</u>)

Government Agency	Location	Office Telephone	Notifications	
National Response Center	Washington, DC	(800) 424-8802 (24 hour) (202) 267-2675	Notify within 1 hour of reportable release or to an open waterway.	



LAX 213 / AVION

### **ERP: Corporate Notification**

If any media interest is expected, contact the Legal Department for assistance, DO NOT offer any information until speaking with the Legal Department.

### **Reporting Losses:**

In the following cases, the Corporate Risk Management Department will be notified in a within three (3) hours and Pulse Event reported within twelve (12) hours in the event of:

- Injuries and other Incidents (aircraft, property, third party, etc.)
- Any major accidents, incidents, or other disastrous occurrences at any airport
- Property Damage
- Theft
- Cargo Losses



### **Emergency Contact List:**

The General Manager or Designee will **immediately** notify the following:


Timely and accurate reporting of incidents is critical to ensure an effective response. Do not delay incident notification while gathering information. Emergency contact list: To be posted on safety/personnel boards.

NOTIFICATION	COMPANY OR AGENCY	PERSON	PHONE (DAY)	PHO NE (24 HR.)
NOTIFICATION	COMPANY OR AGENCY	PERSON	PHONE (DAY)	PHONE (24 HR.)
Terminal Manager	World Flight Services	Victoria Cabrejo	<mark>310 678 6325</mark>	<mark>310 678 6325</mark>
Assistant Terminal Manager	World Flight Services	Avelino Capil	<mark>310 930 0025</mark>	<mark>310 930 0025</mark>
Assistant Terminal Manager	World Flight Services	<mark>Shanastaisha Siaki</mark>	<mark>310 864 2204</mark>	<mark>310 864 2204</mark>
General Manager	World Flight Services	Bob Mayar	<mark>310 703 3489</mark>	<mark>310 703 3489</mark>
Federal	National Response Center	N/A	(800) 424-8802	(202) 267-2675
State	California			
City	County of LA Fire Department	Gary To	323 890 4096	323 890 4096
Airport	LAX Airport Police		424 646 7911	424 646 7911
State	California Office of Emergency Services	Sherryl Jones	(562)-795- 2973	(562)-795-2973
City	LA City Emergency Management Department		(213) 484- 4800	(213) 484-4800
Airport	LAWA Operation & Emergency Operations	ARCC	(424) 646- 5060	(424) 646-5060
WFS Corporate	Director Quality & Training	Kathy Roberts	(845)-401- 1385	(845)-401-1385
	Director Safety Western Region	Andrew Hatfield	(720)-767- 7831	(720)-767-7831
Cleanup Contractor	Clean Harbors Emergency Response	Control Center	(800)-645- 8265	(800)-645-8235 (800.OIL.TANK)



LAX 213 / AVION

### **ERP: Emergency Evacuation**





LAX 213 / AVION

Sensitive Security Information

### **Emergency Evacuation Procedure – 6040 Avion Drive**

Upon being notified to evacuate the building, proceed to the nearest exit at the east end of the building and report to the assembly area at the south-east corner of the leasehold.

The employee in charge of each operational area will take role and account for every employee on duty at the time of the evacuation.

The evacuation will remain in effect until such time as the Incident Commander from the Responsible Government Agency gives the all-clear.

### **Non-operational Procedures**

The DSA has a total of 40 doors as identified on the map above:

On the east side of the facility, leading to public areas:

- 4 pedestrian doors (4 signs) and 3 pedestrian gates (3 signs)
- 17 roll up doors (14 signs some between 2 adjacent doors)
- 1 emergency exit (1 sign)

On the north side of the facility, leading to public areas:

- 5 emergency exits (5 signs)
- On the south side of the facility, leading to public areas:
- 1 roll up door (1 sign)

On the west side of the facility, leading to the SIDA (no signs required):

- o 2 working roll up doors and 5 non-operational roll up doors
- 2 emergency exits

If the doors listed above and marked on the evacuation map were locked or monitored by constant in-person surveillance, then the DSA can be immediately brought back into service.

If the doors were not locked or monitored by constant in-person surveillance, then the CCSF Response Plan must followed before bringing the DSA back into service.

210101

WARNING: THIS RECORD CONTAINS SENSITIVE SECURITY INFORMATION THAT IS CONTROLLED UNDER 49 C.F.R. PARTS 15 AND 1520. NO PART OF THIS RECORD MAY BE DISCLOSED TO PERSONS WITHOUT A "NEED TO KNOW", AS DEFINED IN 49 C.F.R. PARTS 15 AND 1520, EXCEPT WITH THE WRITTEN PERMISSION OF THE ADMINISTRATOR OF THE TRANSPORTATION SECURITY ADMINISTRATION OR THE SECRETARY OF TRANSPORTATION. UNAUTHORIZED RELEASE MAY RESULT IN CIVIL PENALTY OR OTHER ACTION. FOR U.S. GOVERNMENT AGENCIES, PUBLIC DISCLOSURE IS GOVERNED BY 5 U.S.C. 552 AND 49 C.F.R. PARTS 15 AND 1520.

### Background

The need for evacuation can be for many reasons. The keys to a successful evacuation are:

- Supervisor coordination and control, and
- Pre-determined routes and assembly areas.



LAX 213 / AVION

### **Management Action**

- 1. After the Senior Manager on scene determines the need for an emergency evacuation exists, the evacuation alarm will be activated (describe sound of your alarm) and announcements & instructions will be issued over the public address system.
- 2. Management will immediately start actions, taking into consideration the nature and extent of the emergency.

### **Specific Responsibilities & Assigned Actions**

#### **Supervisors**

- A. Lead Employees from work areas when evacuation alarm is sounded.
- B. Provide necessary assistance to any Employees with disabilities.
- B. Escort Employees to the designated assembly area.
- C. Account for Employees at the designated assembly area.
- D. Notify Human Resource of any Employees that are not accounted for.
- E. Provide control of Employees at assembly areas.

### **Local Evacuation Specifics:**

Move quickly and quietly in order to hear emergency instructions.

Office and Warehouse staff will exit the facility and meet at the designated area of parking lot and in front of building.

Check in with Lead/SOD/MOD in order to provide easy roster accountability for the staff. Everyone

must stay clear of the facility until further instructions are issued.

Either the Lead or most Senior member of staff will be responsible to account for all employees who are scheduled on the shift at the time of the event.



LAX 213 / AVION

### **ERP: Severe Weather**

### Background

Severe weather has a substantially adverse impact on airports and operations. It diminishes the normal margin of safety built into every flight; it disrupts service that passengers and other customers are entitled to expect; it increases operating costs and reduces productivity. The detrimental consequences of severe weather may linger long after the storm itself is gone, thereby delaying recovery to normal operations.

Weather events that can be cataloged as potentially severe include:

- Hurricanes, typhoons, tropical storms, and tornadoes.
- Thunderstorms accompanied by heavy rains, hail, and wind gusts over 30 knots.
- Snowstorms in which the rate of fall exceeds one inch per hour and the total accumulation exceeds three inches.
- Freezing rains and/or freezing drizzle.
- Sustained winds greater than 30 knots.
- Temperature below freezing and 20-degree F lower than the average minimum.

### Definitions

Watch and Warnings issued by the U.S. National Weather Service (NOAA) for Storms, Hurricanes, Floods, Tornadoes:

Watch – There is a possibility of severe weather. Warning – Severe weather is expected.

### Action at station level

Appoint a Severe Weather Coordinator (see Safety Program – Severe Weather) to:

- a. Monitor and communicate forecasts and bulletins.
- b. Follow the plan of action.
- c. Coordinate activity before, during and after sever weather.

### In the **Passenger Terminal** - Action by the Station Manager or designated representative:

d. Coordinate all Passenger Service activities



In the Cargo Terminal - Action by the Station Manager or designated representative:

The Station Manager or designated representative, upon receipt of an alert or advisory of conditions that may cause damage to cargo or equipment or delay the delivery or acceptance of cargo, will take the following action, depending on the nature of the anticipated condition:

- e. For Ground Equipment -
  - Secure all equipment that cannot be moved indoors.
- f. For Cargo
  - Move indoors, if possible; cover if unable to move indoors, and,
  - Secure to prevent damage.
  - Notify the Post Office if mail will be delayed inbound or outbound and follow their instructions.
- g. For Loaded Aircraft
  - Move to appropriate areas coordinated with Maintenance supervisor; Close and secure.
  - Visually check on board once an hour.

### **Airport and Ramp Areas**

The Station Manager or designated representative will take the following action:

- Lightning Protection.
- Parking Aircraft High Winds.
- Water System Freeze Protection

### **ERP: Tornadoes**

### Background

Tornadoes develop from powerful thunderstorms. They are incredibly violent local storms that extend to the ground with winds that can reach 300 mph. They can uproot trees, destroy buildings, and turn harmless objects into deadly missiles in a matter of seconds. Damage paths can exceed one mile wide and 50 miles long.



LAX 213 / AVION

### Definitions

**Tornado Watch** - Be ready to take shelter. Tornadoes are likely. **Tornado Warning** - Take shelter immediately. A tornado has been sighted in the area.

### **Shelter Areas**

• Buildings with flat, wide-span roofs are not considered safe.

### **Management Pre-Action**

- 1. During Thunderstorm season ensure a Radio (with battery backup) is functioning properly. During Tornado Watches, assign a specific person to monitor the radio.
- 2. During high probability periods or during Tornado Watches, consider placing spotters to warn of approaching systems.
- 3. Pre-alert supervisors concerning the possibility of the need for directing Employees to emergency shelter.
- 4. During Tornado Watches, place a sign at the main entrance & exit to notify people of the potentially hazardous condition.

### **Management Immediate Action**

- 1. After the need to take shelter has been established announcements shall be made to take shelter.
- 2. Immediately initiate sheltering action.
  - Direct all Employees to move from their work areas to along the nearest interior wall.
  - Assume the lowest position possible and protect the head area with arms.
- 3. After the threat has passed, initiate a head count and return to work or as directed by management.



### **ERP: Fire / Explosion**

### Background

Fires can have several causes and sources of fuel. Most deaths in a fire are caused by smoke inhalation. It is important to remember that the normal evacuation path could be towards the fire. In these cases, alternate routes, away from the fire are to be used. At no time will employees attempt to contain a fire that has progressed past the initial small stage. Explosions can have numerous causes. The results of explosions can range from fires to weakened or collapsed structures.

### **Management Action**

- 1. After it is established that there is a fire or explosion on the premises, the Management will be notified immediately, and the fire alarm sounded.
- 2. Management will immediately initiate action, taking into consideration changes that might become necessary according to the situation.
- 3. Management will establish a command post at the front of the building designated area.
- 4. The Maintenance Manager will
  - Assign competent Employees to monitor the sprinkler risers to assure normal operation.
  - If and where possible direct emergency shut down of utilities (power and gas) and other actions as the situation requires.
  - provide liaison with emergency response units
- 5. Call Airport Authority and county 911, provide initial details of the fire and/or explosion to emergency response units.

### **ERP: Bomb Threat**

### Follow the BOMB THREAT CALL REPORT Guide

- 1. Do not hang up phone.
- 2. Get all information: location, size, appearance, time the bomb will explode, etc.
- 3. Alert another staff member to call the phone company to attempt a trace on the call. (Dial "O" for Operator)
- 4. Get the caller to talk if possible.



5. Notify the Management of the threat.

- 6. Management shall:
  - Call Police Department & request assistance.
  - Make decision concerning evacuation.

IF EVACUATION HAS BEEN DECIDED, NO ONE SHALL ENTER THE BUILDING UNTIL THE POLICE DEPARTMENT HAS GIVEN AN ALL CLEAR TO THE GENERAL MANAGER OR MANAGEMENT MEMBER IN CHARGE.

### ERP: Hazardous Chemical / Dangerous Goods Release - Spill Prevention Control & Countermeasures

### Plan (See the WFS Environmental Policy & Procedures for details)

In the event of an accidental release of hazardous chemicals / dangerous goods, an evacuation may be required if the release is in a significant amount to cause, or have potential to cause, harm to employees.

After it is determined that there is a hazardous chemical emergency, the Management Team will be notified and make the decision whether to evacuate any areas. All unqualified (not trained in emergency chemical response) employees shall remain clear of any spill or release of any hazardous material. If evacuation procedures have been initiated, ALL EMPLOYEES MUST LEAVE THE facility and proceed to the designated meeting area (see Emergency Evacuation SOP).

- NO ONE MAY ENTER THE RELEASE/SPILL/AFFECTED AREAS UNLESS EMERGENCY SERVICES ISSUES AN "ALL CLEAR".
- If there are any questions, immediately contact the Director of Safety & Environmental. See ERP: External Contacts (list above).

### Prevention Control & Countermeasures Plan if any hazardous material is released.

Notification of State Department of Environmental Monitoring and EPA is required if spilled oil material discharges or threatens to discharge into a waterway of the State causing a visible sheen on or a discoloration of the surface water or shorelines, or if a reportable quantity for a hazardous substance is discharged or may unavoidably be discharged to a waterway of the State. **See ERP: External Contacts** and WFS Environmental Policy & Procedures for details.



### Handling Releases of Pressure Containers (Gasses and Vapors)

When handling releases of pressurized containers such as Propane, Oxygen and Acetylene use the following guidelines:

- Identify the product using SDS by calling SDS hotline number on 3E Poster
- Exit the area/scene from uphill and upwind
- Notify appropriate emergency response personnel
- Isolate and deny entry until help arrives
- Isolate any possible ignition sources such as engines, static charge of electrical sources.
- Only if safe to do so, contain the release by shutting off valve or moving the container outdoors where vapors can be readily dispersed

### Remember:

- Never attempt to handle any scenes alone and/or unless qualified to do so. Use appropriate PPE.
- Use SDS to become aware of incompatibles.
- If the spill or leak is on the ramp, consider rain a possible incompatible and danger to the immediate area.
- Contact appropriate authorities in an emergency.



LAX 213 / AVION

### **ERP: Medical Emergencies**

- 1. After a medical emergency has been identified, Management and / or Supervisor must be notified immediately. The Supervisor has the responsibility to assure that the Management has been notified.
- 2. Determine the level of medical assistance required.
  - If an Ambulance is needed call the airport authority of local emergency services.
- 3. All Medical Emergency Care Providers will use the proper PPE as outlined in the Blood-borne Pathogens Program and will follow the proper standards of care.
- 4. All injured or ill Employees requiring emergency medical care for life/death medical emergencies will be transported by local Emergency Medical Services (EMS) to the nearestlocal Hospital.
  - A Supervisor or Manger must be with the employee during transport to the hospital or follow by car and meet EMS in the emergency area.
  - Risk Management must be contacted within three (3) hours and a Pulse Event created within twelve (12) hours.
- 5. All non-life/death medical emergencies should be managed by the approved medical provider.
- 6. All Employees who are involved in an injury or accident shall be screened for drugs and alcohol as prescribed by company policy.
- 7. Any medically related case must be reported within to the Risk Management Department within three hours and entered into the Pulse system within (12) hours.
  - Any Occupational Fatality must be reported to Risk Management and/or the AVP of Safety, Security and Environmental immediately.

### **Additional Components:**

- 1. Add Airport Maps or Diagrams (contact local airport authority or Google maps)
- 2. Add paper copies of Employee Rosters and Emergency Contact List (in the event of electrical failure)
- 3. Add local evacuation Diagrams





1.800.645.8265

## SOP FOR EMERGENCY RESPONSE WITH CLEAN HARBORS

- In the event an Emergency Response is identified, follow all company protocols and make all necessary internal and external notifications
- Call 1.800.645.8265 (1.800.OIL.TANK) to reach the Clean Harbors Emergency Operations Center
- Be prepared to give the following information at a minimum
  - Site contact name and phone number
  - Company name and incident location
  - Substance spilled
  - Amount spilled
  - Spill source
  - Has spill been contained/stopped
- · The EOC Duty Operator will connect you with coordinator at the closest response center
- · An estimated response time to the incident will be provided
- The necessary trained personnel and response resources will be mobilized as soon as possible to the incident location
- Do not take any actions to respond to or remediate a spill that you have not been authorized or trained to do
- Do not hesitate to notify Clean Harbors to be on standby for response before determining that a response will be required

"People and Technology Creating a Better Environment"



LAX VS Century Building